TestAmerica
INCORPORATED

AUG 28 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

08/22/2000

Job Number: 00.04209

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
272943	WEEKLY COMPOSITE	08/10/2000	08/11/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

TestAmerica
INCORPORATED

AUG 28 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

08/22/2000

Job No.: 00.04209

Date Received: 08/11/2000
Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D. Parameters	Wet Wt. Result	Flag	Sample Date/ Units	Analyst Date & Time Analyzed	Method	Reporting Limit
272943 WEEKLY COMPOSITE			08/10/2000			
Zinc, ICP	0.039		mg/L	crm 08/18/2000 19:29	EPA 200.7	<0.020

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

Chain of Custody Record

TESTAMERICA INC.

AUG 2 2

Page ____ of ____

☐ Asheville, NC (A) (828) 254-5169	☐ Bartlett, IL (C) (630) 289-3100	☐ Cedar Falls, IA (E) (319) 277-2401	☐ Charlotte, NC (G) (704) 392-1164	☐ Dayton, OH (I) (937) 294-6856	☐ Lumberton, NC (K) (910) 738-6190	☐ Nashville, TN (M) (615) 726-0177	☐ Pontiac, MI (O) (248) 332-1940	☐ Rockford. Il (Q) (815) 874-2171
☐ Atlanta, GA (B) (770) 368-0636	☐ Brighton, CO (D) (303) 659-0497	☐ Charleston, SC (F) (843) 849-6550	☐ Columbia, SC (H) (803) 796-8989	☐ Davenport. IA (J) (319) 323-7944	☐ Indianapolis, IN (L) (317) 842-4261	☐ Macon, GA (N) (912) 757-0811	☐ Orlando, FL (P) (407) 851-2560	☐ Watertown, WI (R) (920) 261-1660

Client: Milbank	Project No.:
Report Address:	Invoice Address:
Attn:	Attn:
Phone No.:	Sampled By: Mike Milliken
Fax No.:	P.O. No:
TURNAROUND TIME	Quote No. 98.0060
☐ Standard	State Samples Collected
☐ Rush (surcharges may apply)	Date Needed:

REQUESTED PARAMETERS

Zinc

Is this work being conducted for regulatory compliance monitoring? Yes___ No___

Is this work being conducted for regulatory enforcement action? Yes___ No___

Which regulations apply:
RCRA____ NPDES Wastewater____
UST____ Drinking Water____
Other___ None____

Sample ID	Date	Time	Comp (C) Grab (G)	Matrix	Lab Use	Zinc	# and type of containers: HCl	NaOH	HNO_3	H_2SO_4	Other	None	REMARKS
Weekly	8/10	3:00	C	WW		X						18	Please Composite using Flow Reading

QC Deliverables: ☐ None ☐ Level 2 - Batch QC ☐ Level 3 ☐ Level 4 ☐ Other

Init Lab Temp

30.1°C Rec Lab Temp

COMMENTS:

Relinquished By: M. Todd Hinkle	Date 8/11	4:10 Time	Received By:	Date 8/11	1610 Time	LAB USE ONLY:	
Relinquished By:	Date	Time	Received By:	Date	Time		
Relinquished By:	Date	Time	Received By:	Date	Time	Custody Seal: ☐Yes ☐No ☐N/A	
Relinquished By:	Date	Time	Received By:	Date	Time	Bottles Supplied by TA: ☐Yes ☐No	

MIL0003827

DATE: August 10th, 2000

MILBANK MANUFACTURING COMPANY

TIME	METER READING	INITIALS
7:30	21510	SLH
8:00	21730	SLH
8:30	21900	SLH
9:00	22110	SLH
9:30	22340	SLH
10:00	22550	SLH
10:30	22790	SLH
11:00	23020	SLH
11:30	23240	SLH
12:00	23450	SLH
12:30	23680	SLH
1:00	23920	SLH
1:30	24190	SLH
2:00	24340	SLH
2:30	24470	SLH
3:00	24640	SLH
3:30	24820	SLH

8-10-00

Please test for the following highlighted

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

Discharge Limitations		Monitoring Requirements	
Regulated Parameter	Maximum for Any one Day mg/L	Monitoring Frequency	Sample Type
Cadmium[5]	.02	Semi-Annual	Composite[2]
Total Chromium[5]	2.0	Semi-Annual	Composite[2]
Copper[5]	0.60	Semi-Annual	Composite[2]
Cyanide	0.50	Semi-Annual	Grab
Lead[5]	0.10	Semi-Annual	Composite[2]
Nickel[5]	0.80	Semi-Annual	Composite[2]
Silver[5]	0.24	Semi-Annual	Composite[2]
Zinc[5]	1.25	1 X Week	Composite[2]
Oil and Grease[6]	100	Semi-Annual	Grab
TPH[6]	(Monitor and report)	Semi-Annual	Grab
pH	6-10	Daily	Grab
CBOD [4]	(Monitor and report)	1 X Month	Composite[2]
Ammonia [4]	(Monitor and report)	1 X Month	Composite[2]
COD [4]	(Monitor and report)	1 X Month	Composite[2]
TSS [4]	(Monitor and report)	1 X Month	Composite[2]
Flow	N/A	Daily [3]	
TTO	2.13	Semi-Annual	Grab
Phenol	0.50	Semi-Annual	Grab
Molybdenum[5]	(Monitor and report)	1 X Month	Composite[2]